



WHAT IS CLAIMED IS:

1. A composition suitable for treating hair comprising:
 - a) an oxidizing agent;
 - b) a conditioning agent selected from the group consisting of silicone materials, cationic surfactants, cationic polymers, alkoxyated amines and mixtures thereof;
 - c) a chelant selected from the group consisting of phosphonic acid type chelants, and salts thereof, derivatives thereof and mixtures thereof.
2. A composition according to claim 1, wherein said chelant is selected from the group consisting of chelants having the formula (I) to (III) below:
 - i) formula (I):




wherein X is -OH or -NH₂; R₁ is an aryl radical or an aliphatic radical having 1 to 5 carbon atoms or a group having the formula (Ia) below:




wherein each R₂ is independently selected from H or an alkyl radical having from 1 to 5 carbon atoms;

- ii) formula (II):




wherein each R_1 is independently selected from H or C_1 - C_3 alkyl; and
 iii) formula (III):



(III)


wherein each X is independently selected from hydrogen or alkyl radicals; and
 each R_1 is independently selected from $-PO_3H_2$ or a group having the formula
 (IIIa) below:



(IIIa); and


salts thereof, derivatives thereof and mixtures thereof.

3. A composition according to claim 2, wherein said chelant is selected from the group consisting of aminotri-(1-ethylphosphonic acid), ethylene-diaminetetra-(1-ethylphosphonic acid), aminotri-(1-propylphosphonic acid), aminotri-(isopropylphosphonic acid), and salts thereof, derivatives thereof and mixtures thereof.
4. A composition according to claim 1, wherein said chelant is selected from the group consisting of chelants having the formula (IV) below:



(IV)

wherein each R_2 is independently selected from $-PO_3H_2$ or a group having the formula (IVa) below:



salts thereof, derivatives thereof and mixtures thereof.

5. A composition according to claim 4, wherein said chelant is selected from the group consisting of aminotri-(methylenephosphonic acid), ethylene-diaminotetra-(methylenephosphonic acid) (EDTMP), diethylene-triamine-penta-(methylenephosphonic acid) (DTPMP), and salts thereof, derivatives thereof, and mixtures thereof.
6. A composition according to claim 1, wherein the pH is between about 8 and about 12.
7. A composition according to claim 1 wherein said composition is in the form of an oil-in-water emulsion.
8. A composition according to claim 1 wherein said composition is in the form of a thickened aqueous solution.
9. A composition according to claim 1, further comprising a salt-tolerant thickener selected from the group consisting of xanthan, guar, hydroxypropyl guar, scleroglucan, methyl cellulose, ethyl cellulose, hydroxyethyl cellulose, carboxymethyl cellulose, hydroxypropylmethyl cellulose, microcrystalline cellulose, hydroxybutylmethyl cellulose, hydroxypropyl cellulose, hydroxyethyl ethyl cellulose, cetyl hydroxyethyl cellulose, N-vinylpyrrolidone, Acrylates / Ceteth-20 Itaconate Copolymer, hydroxypropyl starch phosphate, polyethoxylated urethanes or polycarbamyl polyglycol ester, trihydroxystearin, acrylates copolymer or hydrophobically modified acrylate copolymers and mixtures thereof.
10. A composition according to claim 1, further comprising at least one oxidative hair dye precursor.

11. A method of treating hair, said method comprising the steps of:
 - i) contacting hair with a first composition comprising:
 - a) a conditioning agent selected from the group consisting of silicone materials, cationic polymers, alkoxyated amines and mixtures thereof;
 - b) a chelant selected from the group consisting of phosphonic acid type chelants, salts thereof, derivatives thereof and mixtures thereof; and
 - ii) contacting hair immediately after step i) with a second composition comprising an oxidizing agent.
12. A method according to claim 11, wherein said second composition further comprises an oxidative hair dye precursor.
13. A method of treating hair, said method comprising the steps of:
 - i) contacting hair with a first composition comprising an oxidizing agent;
 - ii) contacting hair with a second composition comprising a conditioning agent and a chelant selected from the group consisting of phosphonic type chelants, and salts thereof, derivatives thereof and mixtures thereof; and
 - iii) contacting hair with a third composition comprising a second oxidizing agent;wherein steps i) and ii) are separated by at least 1 day and that step ii) does not take place immediately before step iii).
14. A method of treating hair, said method comprising the steps of:
 - i) contacting hair with a first composition comprising a chelant selected from the group consisting of phosphonic acid type chelants, and salts thereof, derivatives thereof and mixtures thereof;
 - ii) contacting hair with a second composition comprising an oxidizing agent immediately after step i);
 - iii) contacting hair with a third composition comprising a conditioning agent immediately after step iii).
15. A kit for dyeing hair comprising a first and a second compositions packaged in different containers, wherein said first composition comprises an oxidizing agent and said second

composition comprises an oxidative dye precursor, wherein the resulting mixture of said first and second compositions is a composition according to claim 10.